


Habits Studio

E04
Ceiling / wall / suspension



E04



Habits Studio, 2006

EN Indoor wall, ceiling and suspension fixtures. With essential elegance and outstanding performance, these lamps now come with new optical fittings and LED light sources, in a range of colors that interpret the latest trends in interior decorating with personality and nonchalance. The extruded aluminium cylinders are enhanced by satin-finish coating in the colors brass, alu, white and black.

IT Apparecchi per interni a parete, soffitto e sospensione. Essenziali e altamente performanti, vengono riproposti con nuove ottiche e sorgenti LED e con una gamma di colori che si accordano con personalità e naturalezza alle nuove tendenze per la decorazione degli interni. I corpi in estruso di alluminio sono verniciati in finiture satinare ottone, alu, bianco e nero.

DE Die Serie der Innenleuchten umfasst Wand-, Decken- und Pendelleuchten mit essentiell Design und hoher Performance. Sie sind jetzt mit neuer Optik, LED-Leuchtmitteln und Farbtemperaturen angeboten, die sich auf charaktervolle, natürliche Art den neuen Trends der Innenarchitektur anpassen. Die Aluminium-Leuchtenkörper sind matt lackiert in den Farben Messing, Alu, Weiß und Schwarz.

FR Appliques murales, plafonniers et suspensions d'intérieur. Essentiels et hautement performants, ils sont repropoés avec de nouvelles optiques et sources LED, ainsi qu'avec une gamme de couleurs qui se marient avec personnalité et naturel aux nouvelles tendances de la décoration d'intérieur. Les corps en aluminium extrudé sont peints dans des finitions satinées laiton, aluminium, blanc et noir.

ES Aparatos para interiores de pared, techo y suspensión. Esenciales y de gran rendimiento, se vuelven a proponer con nuevas ópticas y fuentes LED y con una gama de colores que armonizan con personalidad y naturalidad con las nuevas tendencias para la decoración de interiores. Los cuerpos de extruido de aluminio se barnizan con acabados satinados latón, aluminio, blanco y negro.



MOD. E04

LUCEPLAN 2019/20



MOD. E04

LUCEPLAN 2019/20





E04

E04 ceiling

E04200
dimnable
push dim/DALI
weight 0,85 kg

E04220
dimnable
push dim/DALI
weight 2,30 kg

E04200



E04220



TECHNICAL DATA

| | | | EEL |
|---------------------|---------------|--|----------|
| Light source | E04200 | LED module COB 12W 2700K (beam 35° or 55°) | A++ |
| | | LED module dim to warm 13W 3000K (beam 30° or 50°) | A++ |
| | | LED GU10 dimmable | A++/A+/A |
| | E04220 | LED module COB 19W 2700K (beam 35° or 55°) | A++ |
| | | LED module dim to warm 20W 3000K (beam 25° or 40°) | A++ |
| | | LED G53 dimmable | A++/A+/A |

Materials Aluminium extrusion cylindrical body

Structure finishes Matt white Matt black Matt alu Matt brass


Insulation class **CE**

E04

E04 wall

E04240
independent on/off
dimmable
push dim/DALI
weight 2,00 kg

E04250
independent on/off
dimmable
push dim/DALI
weight 4,00 kg



| | | | |
|---------------------|---------------|--|----------|
| Light source | E04200 | LED module COB 12W 2700K (beam 35° or 55°) | A++ |
| | | LED module dim to warm 13W 3000K (beam 30° or 50°) | A++ |
| | | LED GU10 dimmable | A++/A+/A |
| | E04220 | LED module COB 19W 2700K (beam 35° or 55°) | A++ |
| | | LED module dim to warm 20W 3000K (beam 25° or 40°) | A++ |
| | | LED G53 dimmable | A++/A+/A |

Materials Aluminium extrusion cylindrical body

Structure finishes Matt white Matt black Matt alu Matt brass

Insulation class


E04

E04 suspension

E04270
dimmable
push dim/DALI
weight 0,95 kg

E04280
dimmable
push dim/DALI
weight 2,00 kg

E04290
dimmable
push dim/DALI
weight 2,30 kg



| | | | |
|------------------|---------------|--------------|--|
| Accessory | EA1096 | ceiling rose | |
|------------------|---------------|--------------|--|

| | | | |
|---------------------|---------------|--|----------|
| Light source | E04200 | LED module COB 12W 2700K (beam 35° or 55°) | A++ |
| | | LED module dim to warm 13W 3000K (beam 30° or 50°) | A++ |
| | | LED GU10 dimmable | A++/A+/A |
| | E04220 | LED module COB 19W 2700K (beam 35° or 55°) | A++ |
| | | LED module dim to warm 20W 3000K (beam 25° or 40°) | A++ |
| | | LED G53 dimmable | A++/A+/A |

Materials Aluminium extrusion cylindrical body

Structure finishes Matt white Matt black Matt alu Matt brass

Insulation class

TECHNICAL DATA

MOD. E04

LUCEPLAN 2019/20

TECHNICAL DATA

MOD. E04

LUCEPLAN 2019/20